

Incident Date	Incident Address	Incident Type	Apparatus	Basic Incident Primary Narrative (FD1.47)
7/4/2024 20:27	5000 block N. CASA GRANDE	3224 - Motor vehicle accident with injuries w/ 3 units or greater Arrived on scene	SO331, BC331, PM331, EN331, EN332	EN331 arrived on scene of a two vehicle MVA with moderate to heavy damage, both on their wheels. EN331 took Casa Grande command and initiated triage. Initial triage report by 31 Paramedic was a need for extrication for person trapped. EN332 was directed to stage near the red truck and extricate victim. Triage report given to dispatch was 4 pt's, 1 black, 1 yellow, and 2 green. Extrication was discontinued at LE request due to pt black triage designation and wish to protect integrity of scene for their investigation. PM331 transported one to UMC. Report of all pt's transported relayed to dispatch and command was terminated.
7/6/2024 19:02	4000 block W. SUNDANCE Way	1112 - Two Story House or Multi-family (for mobile home use 121)	EN331, EN332, EN335, TN332, FI381, AP379, SO331, PM004, EN001, SR332, TN341, BN001, BC331, RH339, EN004, PM331, FI331, LD004	BC331 responded code 3 with full alarm for a reported house fire. BC331 added TN341 to the incident en route. EN335 arrived on scene, reporting a working garage fire with possible extension to second floor, assumed command in the offensive strategy. EN04 arrived and was assigned to provide tank water to EN335. L4 arrived and assigned to provide manpower, PM4 arrived and assigned medical. EN332 staged at hydrant and assigned to lay in from the hydrant. LD04 reassigned to ladder the roof. BC331 arrived to find heavy fire from Alpha and roof on Bravo. BC331 initiated command transfer and strategic shift to defensive operations. BC331 ordered EN35 and E4 out of the structure, with a visual of LD4 at command post. BC331 assumed command and requested emergency traffic. Change of strategy was announced with pars achieved from crews in hot zone. SO331 was assigned 360 and safety face to face at command post. EN331 completed the hydrant connection and supplied EN4. TN332 arrived and supplied EN335. BC01 arrived and assigned to Division Charlie. LD04 was assigned to Charlie. EN332 arrived and was assigned to pull 2.5 inch to Charlie side and report to Div. Charlie. EN01 did face to face at command post and assigned to pull 2.5 off of EN335 for fire attack on Bravo. Division Charlie reporting in the area, with spot fires and Charlie side exposure, but comfortable with lines in place in time. Requesting EN332 assist LD4 with deploying 2.5in and attack packs. SO331 completed 360, confirming spot fires and collapse on Alpha. PM331 arrived and assigned Rehab. TN341 arrived and began a tender shuttle rotation with EN332 supplying EN335. FI331 and FI381 arrived and assigned to begin investigation. RH339 arrived and assumed Rehab. Div C reported uncontrolled fire from gas line. Southwest Gas on scene assigned to secure gas to the property. Southwest gas-controlled gas from the street. Div C reported all fire accessible from Charlie under control with par, EN335, EN4, also reporting fire control and par. Fire under Control and Par was benchmarked. All units cycled through Rehab and maintained defensive positions while applying water for overhaul. Units were demobilized, transitioning to a tender supplied operation with EN335. Command was terminated and BC331 returned to service on scene. BC331 remained on scene and EN335 was replaced with EN332 for overhaul operations with TN332. All accessible hotspots were extinguished and EN332, TN332 cleared from incident. Fire alarm was notified of the structure still off gassing and producing smoke in the area. Advised additional calls would be a still alarm with a single EN to evaluate needs for additional resources and expected return of crews to continue to extinguish hotspots as they surfaced.

7/6/2024 22:53	8000 block N.HARDY PRESERVE	1111 - Single story House fire (for mobile home use 121)	FI331, PM338, BC380, AP341, SR332, EN380, AP379, PM333, FI381, EN333, BC332, EN379, EC377, EN338	Initial dispatch was for a house fire in GRFD. EN379 arrived, command, pulled line to garage, forced entry to garage by cutting hole in garage door. EN338 arrived, assigned to pull line into house from A side, primary search, check for fire extension. PM338 assigned to assist with water supply to EN379. BC332 on scene, command transfer with EN379. EN380 assigned to on deck. EN379 reported trash fire in corner of garage, no extension to house from garage. Fire under control. EN338 stated primary all clear in residence, no extension into house or attic. PM338 assigned to medical, assessed homeowner, document refusal. BC380 assigned to command post. EN379 status change to recycle, EN380 assigned to overhaul of fire area. EC377 assigned to safety, perform 360. EN338 status change, for recycle. EN380 stated fire overhaul complete. Loss stopped. Command terminated.
7/7/2024 12:48	5000 block N. DAVIS Ave	121 - Fire in mobile home used as fixed residence	EN332, EN330, EN331, EN333, EN020, AP379, FI381, TN332, PM333, SO331, SR332, BN001, BC331, EN008, RH339, PM331, FI331	<p>U/A BC331 took command, in the offensive strategy, from EN331 who reported working fire conditions on the Charlie side of the structure with possible interior involvement. EN331's initial orders were for PM331 to assist with a water supply and set up rehab.</p> <p>EN332 was ordered to deploy a second line off EN331 to the Charlie side so that EN331 could redeploy to the interior for fire attack and a primary search.</p> <p>EN08 was ordered to stage on the Charlie side of the structure where BN01 stated there was access and deploy a line off their truck to assist in fire attack on the exterior at the C/D corner while EN332 attacked the C/B corner.</p> <p>EN333 was ordered to the on-deck position at the Alpha side with the RIC bag.</p> <p>SO331 was assigned safety, to complete a 360 and secure utilities. His initial CANS was negative hazards and all utilities secured.</p> <p>EN331 stated he had a primary all clear and he needed to recycle in a status change and had multiple points of fire contact in the walls and floor. EN333 replaced his position and continued fire attack. EN20 was assigned to on-deck with RIC on the alpha side.</p> <p>After a 20 minute attack interior the decision was made to prep a line with a piercing nozzle to attack the fire under the floor from above. EN20 was given this assignment and was rotated in once EN333 needed replacement.</p> <p>EN331, after recycling, replaced EN08 on the C/B and D corners. EN332 went to recycle and stated their position did not need to be replaced.</p> <p>The fire was brought under control after deploying the piercing nozzle with the assistance of the exterior crews pulling siding and coordinating with interior.</p> <p>TN332 was added to the call to supply the EN08 position on Charlie and EN330 was added to alleviate crew rotations in the heat.</p> <p>AP379 and RH339 were assigned to rehab and PM331 and 333 were assigned Medical. EN331 set up a washdown station in the path of travel to rehab for crews.</p> <p>Crews were rotated through rehab and washdown throughout the remainder of the incident. No injuries, civilian or firefighter were reported. Occupant services were conducted by CAP and the scene was turned over to FI331 and FI381 for investigation. Units returned to service as they assembled.</p>

7/11/2024 17:20	6000 block N. ORACLE Rd	522 - Water or steam leak	EN330, EN342, LD331, PM330, EC377, EN381, EN020, EN380, BC331, BC380, FI331	EN330 responded to fire alarm which was upgraded to commercial fire alarm with reports of fire. EN330 arrived on scene of Hobby Lobby and noted water spraying from rooftop from broken pipes. EN330 established command in the offensive strategy and went interior for investigation. No fire problem was found. Roof of Hobby Lobby had approx. 40X40 foot collapse of roof following heavy rain storm with broken sprinkler pipes active. EN330 had EN381 locate the Riser room for system shutoff which was successful and EN380 to performed 360 of structure. Command transferred to BC381 without issue. EN330, EN20 and EN381 completed primary all clear including under shelving units that collapsed under damaged roof. EN330 awaited the arrival of Fire Inspector and scene was turned over for investigation. EN330 cleared the scene and returned to service.
7/14/2024 18:42	3000 block W.HORIZON HILLS Dr	363 - Swift water rescue	LD004, BC331, PM330, EC377, EN333, BC370	EN333 responded with other units for swift water rescue. EN333 found one vehicle in knee high water that was not flowing but still water. EN333 waded to vehicle and found driver inside with no complaints. Driver got out of the car and walked to side of the road monitored by EN333. Driver did not want evaluation or transport to the hospital. Driver CAOx4 answering all questions appropriately. EN333 cleared documenting INI.
7/14/2024 18:57	Gardner and Runway	363 - Swift water rescue	BC331	BC331 responded to a report of vehicles stuck in shallow moving water. U/A I observed 2 vehicles stuck in slow moving water up to the bottom of the doors. The occupants were still in both vehicles. The single occupant was able to walk from his vehicle unassisted and reported no distress. I donned a PFD, entered the water that was ankle/calf deep, and assisted the occupants of the other vehicle out of the water. Both occupants reported no distress. BC331 RTS.
7/14/2024 19:03	Orange Grove and I-10 WB Frontage	363 - Swift water rescue	BC331, LD331	LD331 arrived on scene and found a vehicle stranded in the flooded roadway. The vehicle had 2 adults and 5 children inside. LD331 had to approach from the other direction to be able to access the vehicle. LD331 personnel entered the 3' deep water and assisted all occupants out of their vehicle.
7/15/2024 12:56	3000 block W. ORANGE GROVE Rd	137 - Camper, travel trailer, 5th wheel, or tent trailer fire -	EN338, EN330, EN331, EN332, EN333, PM330, SR333, FI381, PT337, EN381, EN380, AP379, SO331, BC331, DH339 BC380	BC331 responded code 3 from quarters with other units for a reported structure fire. U/A BC331 transferred Command from EN330. EN331 laid 1000' of supply line and was then assigned to on deck Alpha side. SO331 assigned to Safety and secure power. Water supply from a hydrant was never used. EN330 was able to achieve fire control. EN330 needed to recycle and EN331 was assigned to overhaul. Command cancelled the balance minus EN330, PM330, EN331, EN381, AP379, and the investigators. EN331 achieved loss stopped. Command was terminated and BC331 RTS.
7/19/2024 18:12	2000 block W. CURTIS Rd	1421 - Tree Fire	BC331, PM331, BC380, EN008, SO331, EN332, EN333, EN330, EN331	EN331 dispatched to tree fire. Call was upgraded to mobile home fire. U/A found a tree on fire with extension to the top of the mobile home awning. EN331 established Curtis command. Investigation found the extension to the awning was smoldering pine needles only. EN331 cancelled the balance and extinguished the tree fire. Negative extension found interior of the mobile home using the TIC. EN331 returned to service.

7/19/2024 18:39	I10W Road MP 239	3224 - Motor vehicle accident with injuries w/ 3 units or greater Arrived on scene	PM338, EN341, BC332, PM191, EN336, SO331	EN341 and other units dispatched for a semi rollover on I10. EN341 arrived on scene to find MAPD on scene with a semi on its side, EN341 assumed Command and started triage. EN336 assigned to assist with triage, triage complete with 2 delayed patients still in the truck. Driver stating that there was no cargo in the vehicle, a walk- around the truck showed no active fuel leaking. Both patients able to self extricate with assistance. P338 transported the first patient, P191 transported the 2nd patient. Command was terminated and units came in service as they assembled.
7/23/2024 17:45	10000 block N. CASA GRANDE	132 - Road freight or transport vehicle fire	EN338, TN341, BC332, EN341	Engine 341 along with other units were dispatched to a large semi truck on fire, u/a found semi tuck trailer with the rear axels and all tires fully involved with fire. Engine 341 assumed command and directed tender 341 to supply engine 341 while the crew from engine 341 pulled the front bumper line to extinguish the fire. Engine 338 was assigned to have their crew bring a rotary saw and cut into the semi trucks left side trailer above the wheels because of impingement into the trailer area. Engine 338's crew successfully cut into the trailer and 341's crew extinguished the product on fire inside the trailer. The trailer was carrying large quantities of paint in plastic 200 gallon to 300 gallon cubicle containers. amongst other variable products. Battalion 332 assumed command and units continued with fire control and overhaul of fire area. Engine 338 was released while engine 341 remained on scene to secure area and finish overhaul. Command was terminated and units became available.
7/24/2024 10:12	West PICTURE ROCKS RD/N WADE Rd	3213 - Engine and Transport Response/Resulting in ALS transport	SO331, EN334, EN338, BC332, PM334	EN334 responded with additional units to dispatched address for report of a motorcycle accident. Upon arrival EN334 gave on scene report and assumed picture rocks command. Triage was complete with only one delayed PT found. EN334 and PM334 were able to handle and remaining balance was cancelled. Command was terminated and PM334 transported the PT to BUMC.

7/29/2024 7:42	9000 block N. EL UNO GORDO	111 - Building fire (for mobile home use 121)	EN333, EN334, EN338, BC332, EN341, SO331, BC331, PM334	<p>Engine 334 responded with other units for report of Structure 1 Fire. Engine 334 arrived on scene and found small, single story structure with nothing showing. Engine 334 established command and investigated.</p> <p>Engine 334 staged Alpha side with hydrant withing 50 feet if needed. Engine 334 met with homeowner outside stating everyone is out of house and smoke was coming from outlet in back bathroom.</p> <p>Engine 334 made entry with PAR of 3 to Charlie side of structure and found wall outlet with burn damage in bathroom. No active smoke or flames and outlet reading under 300 degrees initially on TIC.</p> <p>Engine 334 located 3 different fuse boxes throughout the home and secured all. Engine 334 advised homeowner that the power was shut off to the home and an electrician would be needed to repair the outlet damaged before power was turned back on to avoid further incident.</p> <p>Engine 334 cleared all other units responding and confirmed outlet temp was down to 118 degrees, wall plate to outlet was removed as well along with plug in that had been in outlet.</p> <p>Engine 334 cleared the incident.</p>
----------------	----------------------------	---	--	---