

QUOTATION

Velocity Fire Equipment Sales

Northwest Fire District

Cobra FX Body

Quote No: 10434-0040
04/23/2024

Page 1

PART NO	S	DESCRIPTION	QTY
== Aerial Bid Prep Forms - 4212.023 04/21/23 ==			
00-00-0120		> -- CONFIGURATION ID: 2021B-XXXXX	1
00-00-1100	S	> Information Request Form (Factory Required)	1
00-00-1300		Fire Department Name	1
00-00-1499		Overall Height Restriction, NONE	1
00-00-1509		Overall Length Restriction, NONE	1
00-00-1519		Overall Width Restriction, NONE	1
00-00-1529		Wheelbase Restriction, NONE	1
00-00-1539		Angle of Approach, NFPA Minimum, 8 Degrees	1
00-00-1549		Angle of Departure, NFPA Minimum, 8 Degrees	1
00-00-1600		NFPA Equipment Allowances	1
00-00-1620		NFPA Aerial/Quint Equipment Allowance 2500#	1
00-00-1629			1
00-00-3100	S	Rosenbauer Dealer Order Form (Factory Required)	1
00-00-3220		Contract Change Notice	1
00-12-1100		Financial Stability Response	1
01-07-0064		-- Technical Drawings, Representative Drawings (5-View)(Left/Right/Rear/Front/Top)	1
01-07-1100		Change Orders	1
02-02-0200		> Pre-Construction Conference At Mfg.	1
02-02-0300		> Inspection Trip	1
02-03-0500		ISO Compliance	1
02-03-0208		Single Source Response, Commander Chassis & Aerial, Rosenbauer	1
02-10-5020		Delivery - Aerial (1251 to 1500 miles) (100+ ft units)	1
02-13-5030		Delivery	1
02-13-7400		Toll Free Service Number	1
== Aerial Warranties - 4212.023 04/21/23 ==			
01-16-0150		> -- Warranty, Apparatus, Body Warranty, 1 Year	1
01-19-0350		-- Warranty, Body, Aluminum, 10 Years	1
01-19-2800		-- Warranty, Subframe, Lifetime Galvanized	1
01-20-1014		-- Warranty, Paint, AkzoNobel, 10 Year Pro Rated	1
01-21-0350		-- Warranty, Lettering and Striping, 3 Years	1
01-17-0600		-- Pump Warranty, Hale Lmtd Std, 5 Yrs, (2 yrs P/L 3 yrs P)	1
01-17-1050		-- Plmbg Warranty, Stainless Steel, 10 Years	1
01-18-0250		-- Warranty, Foam Tank, UPF	1
01-18-0450		-- Warranty, Water Tank, UPF	1
01-33-5150		-- Manuals, Electrical, As Built Body, 1 Set Printed w/Digital Copy	1
01-33-3710		-- In Process Photos	1
02-90-0500		> Chassis, Commander Custom	1
== Use Drop Down to Add RBM Chassis - 4212.023 04/21/23 ==			
== Aerial - DC Electrical System ROSENBAUER ONLY - 4212.023 04/21/23 ==			

PART NO	S	DESCRIPTION	QTY
50-41-7100	>	-- Air Horns Two (2) 24" Round Hadley E-Tone	1
50-41-8140		-- Air Horn Location Two (2) Recess Mounted, Outboard, 1 Each Side	1
56-01-1100		-- Siren, Electronic, Supl'd w/Chassis	1
56-02-1600		-- Speaker, Fed Sig Dynamax, ES100C 100 Watt	1
56-02-1650		-- Speaker Grille, SST, "R"	1
56-03-1100		-- Speaker Location, Bumper, Recessed, Center	1
56-06-0300	S <	-- Siren, Fed-Sig, Q2B, Mech, Pedestal Mounted Q2B-01PSD Chrome Left side of bumper	1
Q SIREN CONTROL			
An adjustable sequential timer switch, Amprite Model #12F-DFA or equal with wire termination, shall be provided for automatic siren operation. The timer switch shall be controlled by two (2) rocker switches, one (1) mounted in front of the officer's seat and one (1) mounted in the switch panel. The switches shall be labeled "AUTO SIREN" and shall only function when the red emergency lights are activated.			
56-07-1700		-- Siren Control, Fed-Sig, Q2B, Supplied w/Chassis	1
57-01-0900		-- Light Bar, Chassis Supplied	1
58-71-1820		-- Warning Lights, Whelen, Upper Rear Body (2) S-LED Rotary L31 P/N L31*F	1
57-20-8100		-- Warn Light, Driver, Whelen, L31 LED Rotator Red Color Lens, Ea	1
57-20-8101		-- Warn Light, Officer, Whelen, L31 LED Rotator Red Color Lens, Ea	1
58-74-5100		-- Stanchions, Rear Warning Light, Cast Alum	1
58-46-2100		-- Warning Lights, Whelen, Upper Side Front Body (2) M9 LED	1
54-15-1470		-- SceneWarn Light, Mounting Plate, Painted	2
57-20-1400		-- Warn Light, Driver, Whelen, M9, Red LED, Color Lens, Ea	1
57-20-1401		-- Warn Light, Officer, Whelen, M9, Red LED, Color Lens, Ea	1
58-01-2180		-- Flange, Chrome, Warning Light, Whelen, M9 Ea	2
58-61-2100		-- Warning Lights, Whelen, Upper Side Rear Body (2) M9 LED	1
54-15-1470		-- SceneWarn Light, Mounting Plate, Painted	2
57-20-1400		-- Warn Light, Driver, Whelen, M9, Red LED, Color Lens, Ea	1
57-20-1401		-- Warn Light, Officer, Whelen, M9, Red LED, Color Lens, Ea	1
58-01-2180		-- Flange, Chrome, Warning Light, Whelen, M9 Ea	2
58-00-0700		-- Lower Cab Warning Provided on Chassis	1
58-09-2000		-- Warning Lights, Whelen, Intersection, (2) M6 LED	1
57-20-1200		-- Warn Light, Driver, Whelen, M6, Red LED, Color Lens, Ea	1
57-20-1201		-- Warn Light, Officer, Whelen, M6, Red LED, Color Lens, Ea	1
58-01-2140		-- Flange, Chrome, Warning Light, Whelen, M6, Ea	2
58-26-2000		-- Warning Lights, Whelen, Lower Mid Body (2) M6 LED	1
57-20-1200		-- Warn Light, Driver, Whelen, M6, Red LED, Color Lens, Ea	1
57-20-1201		-- Warn Light, Officer, Whelen, M6, Red LED, Color Lens, Ea	1
58-01-2140		-- Flange, Chrome, Warning Light, Whelen, M6, Ea	2

PART NO	S	DESCRIPTION	QTY
58-36-2000		-- Warning Lights, Whelen, Lower Rear Side (2) M6 LED	1
57-20-1200		-- Warn Light, Driver, Whelen, M6, Red LED, Color Lens, Ea	1
57-20-1201		-- Warn Light, Officer, Whelen, M6, Red LED, Color Lens, Ea	1
58-01-2140		-- Flange, Chrome, Warning Light, Whelen, M6, Ea	2
58-81-2000		-- Warning Lights, Whelen, Lower Rear Body (2) M6 LED	1
57-20-1200		-- Warn Light, Driver, Whelen, M6, Red LED, Color Lens, Ea	1
57-20-1201		-- Warn Light, Officer, Whelen, M6, Red LED, Color Lens, Ea	1
50-04-1000		> Electrical, Base, Multi-Plex, Weldon V-MUX Body	1
55-11-1300	S	> --	1
55-13-1065		> -- V-MUX Door Open, Isolation, Body Main Compartment Doors, Vista Screen w/Accessor	1
50-12-1092		> Switch Panel, Multiplex, Chassis Supplied	1
51-00-1206	<	-- 12V Power/Ground, 20A, Under Passenger Side Install behind officer seat Termination to be 3/8" studs with rubber covers	1
51-00-4000		-- Switched Power, Thru Master	1
51-00-1950	< >	-- 12V Power/Ground, 20A Install under forwards facing crew cab seats Termination to be 3/8" studs with rubber covers	1
51-00-4010		-- Constant Power	1
51-00-3302	< >	-- 12V Dual USB Power Outlet, 5V 2.1A Output (2) to be regular USB and (2) to be USB-C. One of each style at the end of the engine tunnel on each side	4
51-00-4010		-- Constant Power	4
51-00-1100	<	-- 12V Power/Ground, 20A, Exterior Compt L2 , :5, R2, and R5 Install all at the top of the forward compartment wall in the inward rear corner	4
51-00-4010		-- Constant Power	4
51-05-6290		Light, Engine Compt, Chassis Supl'd	1
51-05-6400		Light, Pump Compt, 12 Volt LED With Switch	1
51-05-9000		-- Switch on Light Head	1

PART NO	S	DESCRIPTION	QTY
52-01-1100		Back Up Alarm, w/Chassis	1
52-02-1100		Back Up Camera, Install Chassis Supl'd	1
52-03-1500		< > Map Light, Federal 18", LED, LF18TSB-LED, Top Mount, On/Off Switch Control Install on officer side at top of A-pillar. Light to hang down from the top	1
52-10-3200	S	< > Intercom System, FireCom 5100D Wireless (Single Radio) System to include PTT button on officer side of dash	1
52-10-3290		< > -- Hanger Hook - Headset Driver, officer and forward facing crew cab seats	4
52-10-3310		< > -- Headset, Wireless, Intercom w/Transmit, Firecom, UHW505 Driver, officer and one in L2 (forward) wall near the top	2
52-10-3320		> -- Headset, Wireless, Intercom, Intercom Only, Firecom, UHW503	2
52-10-3350		> -- Base Station, Wireless, Five Person, WB505R	1
53-01-1200		Marker Lts, LED, DOT Requirements	1
53-02-1200		License Plate Bracket, SST w/ LED Light, Rear	1
53-03-0065		Whelen Rear DOT LED Lighting Package M6	1
53-03-2750		-- Tail/Brake Lights, Whelen, LED, M62BTT (Pair)	1
53-04-2750		-- Turn Signals, Whelen, LED w/ Arrow, M62T (Pair)	1
53-06-3550		-- Backup Lights, Whelen, LED, M62BU (Pair)	1
53-07-1210		-- (4) Light Bezel, Tail Lights, Whelen M6 (Pair), ABS Chrome	1
53-05-1802		< Turn Signals, Mid Body, LED Marker Light TechNiq S17-AA2G0-1 (Pair) 2nd set to be installed behind tandem axles	2
54-01-1200		-- Ground Lights, Front Bumper, LED, Pair	1
54-03-1200		-- Ground Lights, Pump Panel, LED, Pair	1
54-03-1400		-- Ground Lights, Mid Body, LED, Pair	1
54-03-1600		-- Ground Lights, Rear Step, LED, Pair	1
54-03-1800		-- Ground Lights, Behind Rear Wheels, LED, Pair	1
54-04-1999		-- Light Switch , Ground Lights w/ Park Brake	1
54-10-1450		Step Light, Rear Tailboard, LED, Ea	2
54-11-2100		Light Switch , Step/Walkway Lights Wired Park Brake Switch	1
54-15-5924		Scene Light - Body Left Side	1
54-15-1620		> -- Scene Light, Whelen, Pioneer Plus Dual PCPSM2C LED Chrome Surface Mount	2
54-15-6412		> -- Scene Light Switch , Left Scene Lights, w/RBM Chassis	1
54-15-5928		Scene Light - Body Right Side	1
54-15-1620		> -- Scene Light, Whelen, Pioneer Plus Dual PCPSM2C LED Chrome Surface Mount	2
54-15-6512		> -- Scene Light Switch , Right Scene Lights, w/RBM Chassis	1
54-15-5932		Scene Light - Rear Body	1
54-15-1610		> -- Scene Light, Whelen, Pioneer Plus Single PCPSM1C LED Chrome Surface Mount	2
54-15-6640		-- Scene Light Activation, Rear Scene, Driver & Officer VISTA	1
54-15-6700		-- Scene Light Switch , Rear Scene Lights, Auto w/ Reverse	1

PART NO	S	DESCRIPTION	QTY
55-11-1100		> Door Open/Hazard Warning Light, w/Chassis	1
58-95-1200		> Traffic Arrow Light Mounting, Recess Mount, Rear Body	1
== RBM Chassis Modifications - ROSENBAUER ONLY - 4212.023 04/21/23 ==			
CHASSIS MODIFICATIONS			
PLACARDS AND LABELING			
10-02-1100		-- Label, Data, Fluid Levels	1
10-02-1200		-- Label, Data, Height x Length, Weight	1
10-02-1300		-- Label, Data, "No Ride" Rr Step	1
10-02-2100		-- Label, Indicating Number of Seats	1
10-02-2500		-- Label, "Caution: Do Not Wear Helmet While Seated"	1
FRAME PREP AND MODIFICATIONS			
10-03-1100	<	-- Frame, Counter Balance Weight 500 lbs	1
10-03-6100		-- Tow Plates (2), Rear Frame Rail, Above Step	1
80-43-2300		-- Painting, Tow Plates, To Match Truck	1
BUMPER MODIFICATIONS - EXTENSIONS - COMPARTMENTS - RBM			
10-04-0430		-- Front Bumpers, 4000, Max Force 12"H, Max Force Wings	1
10-05-4318		-- Front Bumper, Max Force 12"H, T/P Apron, M/F Wings, 18" Extension	1
10-04-3582		-- Bumper, Top Edge Line-X Coated	1
10-04-2720	< >	-- Hosewell Compartment, Center Bumper Sized to hold 100' of 1.75" DJ hose with nozzle	1
10-04-3150	<	-- Aluminum T/P Door, Flat Style, Front Bumper Compartment 3.25" notch on officer side to allow for hose connection	1
08-00-0719		-- Compartment LED Strip Light, (1) Each Compartment (approx 30")	1
08-00-071A		-- Compartment Light, Mounting Door Jamb	1
55-06-1100		-- Compartment Light, Door Switch, Auto, Ea	1
10-04-3460		-- Gas Shock, Bumper Compartment Door	1
10-05-9270	<	-- Tow Eyes 3" Painted Below - Rearward (pair) Red to match truck	1
WHEEL TRIM AND COVERS			
10-06-1120		-- Wheel Trim, SST Hub/Lug Covers, Front/Rear, Tandem Axle	1
10-06-1652	>	-- Tire Pressure Indicator, Tandem Axle, Commander, RWTG1235, EXT	1
EXHAUST SYSTEMS			
10-07-0100		-- Exhaust, Horizontal Supplied With Chassis	1
MUD FLAPS			
10-08-2100		-- Mud Flaps, Rear Wheels, Black, w/ Body	1

PART NO	S	DESCRIPTION	QTY
== Midship Aerial Pump & Plumbing - 4212.023 04/21/23 ==			
20-09-3200	>	-- Pump, Hale, 8FG(R/F), 1 Stage, Midship	1
20-09-3100	< >	-- Pump Flow Rtnng, Hale, 8FG(R/F), 1500 GPM	1
Hale Pump recommends that the pump is drained in freezing weather and if salt water is used. End user is responsible to follow this recommendation.			
22-24-1660	>	-- Intake, Gated, Manual, BIV, 6"NSTFx5"Storz F, LH TFT AX3ST-NX, External	1
22-41-7200		-- Cap, 5" Storz, LW Alum, Locking, w/Chain or Cable	1
22-03-2600		-- Intake, Ungated, 6", RH Side	1
22-41-5700		-- Cap, 6", Chrome Long Handle	1
20-14-2200	>	-- Pump Seal, Mech, Hale	1
20-14-3050	>	-- Pump Manufacturer's Pneumatic Pump Shift	1
20-14-3400		-- Pump Shift, Hale, Mnl Override	1
20-14-4100	>	-- Anode, Alloy, Pump, Hale	3
20-29-1200	>	-- Primer, Trident Air Primer, Automatic	1
20-29-1250		-- Primer Control - Main Pump Rocker Switch	1
27-10-3112	>	-- Pressure Gvrnr, FRC, Pump Boss Max PBA500-A00 Series, w/Bdy Dual Sensor	1
STAINLESS STEEL PUMP PLUMBING *			
21-00-0090		-- Pump Panel Approval Drawing	1
21-00-2000		-- Screens/Anodes, Pump	1
21-00-3300		-- Piping, SST - 1250 GPM & Up	1
21-01-0350	>	-- Pump Drain, Master, Manifold, Trident Air Actuated #30-052-0	1
21-01-5500		-- Intake Manifold, Stainless Steel	1
21-01-6500		-- Discharge Manifold, Stainless Steel	1
21-01-7200	S	-- Unpainted, pump and plumbing	1
21-01-8100		-- Threads, National Hose (NST)	1
22-51-5210	>	-- Tank-To-Pump, Water Tank, 3" Vlv/4" Piping, Midship, Pmpr/Tnkr	1
22-50-0100		-- Single Tank to Pump Control - Pump Operator's Panel	1
24-62-1300		-- Valve, AKR, 8000, (3")	1
22-55-4012		-- Intk Vlv Cntrl, Pull Rod, 1/4 Turn, AKR - IC	1
23-02-1300		-- Tank Fill/Cooling Line, Water Tank, 2"	1
24-62-1200		-- Valve, AKR, 8000, (2")	1
22-55-4012		-- Intk Vlv Cntrl, Pull Rod, 1/4 Turn, AKR - IC	1
20-30-3100		-- Pump Instln, Midship Split-Shaft, By Bdy Bldr	1
20-31-3400		Dump-Relief Vlv, Suction Side, Hale SST	1
20-31-4100		Pump Cooler, Bypass-To-Tank, 3/8"	1
20-31-5200		Heat Exchanger, Engine, Complete	1
20-31-1010		-- Fire Pump Testing - Aerials	1
20-31-1250		-- Pump Test, Aerial, UL	1
20-31-1500		-- Pump Test, Label	1
22-12-1100		Intk, Aux, Gtd, 2-1/2", NST, Left Side	1
21-01-2502		-- Drain/Bleeder, IC Lift-Up, Mnl 1/4 Turn - Spec Only	1
22-41-1100		-- Plug, 2-1/2", Chrome Rocker Lug, w/Chain	1
24-62-1250		-- Valve, AKR, 8000, (2-1/2")	1
22-55-4050		-- Intk Vlv Cntrl, AKR, Mnl Swing Type-Adjacent	1
22-12-3100		Intk, Aux, Gtd, 2-1/2", NST, Right Side	1
21-01-2502		-- Drain/Bleeder, IC Lift-Up, Mnl 1/4 Turn - Spec Only	1
22-41-1100		-- Plug, 2-1/2", Chrome Rocker Lug, w/Chain	1
24-62-1250		-- Valve, AKR, 8000, (2-1/2")	1

PART NO	S	DESCRIPTION	QTY
22-55-4050		-- Intk Vlv Cntrl, AKR, Mnl Swing Type-Adjacent	1
23-05-3201	<	-- Dschg, 2" x 1-1/2" Front Center Bumper, Swivel, NST SST or Chrome Swivel Swivel to be on right side of bumper Foam capable	1
21-01-2200		-- Drain/Bleeder, Class 1, Automatic	1
23-05-9200		-- Hose Connection, Abv Frnt Bmpr, Swivel	1
24-61-1200		-- Valve, AKR, 8000, (2")	1
24-53-0020	>	-- Discharge Valve Control, Pull Rod, 1/4 Turn, SM, AKR - IC w/Gauge	1
27-02-1500	>	-- Gauge, Dschg, IC, 2-1/2" (0-400 PSI), WF	1
23-06-2200	<	-- Crosslay Dschgs, (2) 1-1/2", Over Pump Panel, NST w/divider Foam capable	1
21-01-2502		-- Drain/Bleeder, IC Lift-Up, Manual 1/4 Turn - Spec Only	2
24-61-1200		-- Valve, AKR, 8000, (2")	2
24-53-0020	>	-- Discharge Valve Control, Pull Rod, 1/4 Turn, SM, AKR - IC w/Gauge	2
27-02-1500	>	-- Gauge, Dschg, IC, 2-1/2" (0-400 PSI), WF	2
23-07-2100	S <	-- S.O.R. / Crosslay Dschg, (1) 2-1/2", Over Pump Panel, NST 200 ft of 2-1/2-in e Foam capable	1
21-01-2202	S	-- Drain/Bleeder, IC Lift-Up, Mnl 1/4 Turn - Spec Only	1
24-61-1250		-- Valve, AKR, 8000, (2-1/2")	1
24-53-0020	>	-- Discharge Valve Control, Pull Rod, 1/4 Turn, SM, AKR - IC w/Gauge	1
27-02-1500	>	-- Gauge, Dschg, IC, 2-1/2" (0-400 PSI), WF	1
23-08-3400	<	-- Crosslay Cvr, Alum T/P, Dble Bi-Fold, W/Vinyl End Flaps Lid to open towards front of truck	1
29-20-5600		-- Vinyl Cover, Color, RED	1
23-08-4130		-- Crosslay Trim, Alum Angles, Both Sides	1
23-08-5019		-- Crosslay Dschgs, Over Pump Panel, Normal Height	1
23-09-4100		Dschg, 2-1/2", Left Side, Pump Panel, NST	1
21-01-2502		-- Drain/Bleeder, IC Lift-Up, Mnl 1/4 Turn - Spec Only	1
24-01-2400		-- Adptr, Reducing, 2-1/2" NST F x 1-1/2" NST M, Chrome	1
24-02-1200		-- Elbow, 2-1/2"F x 2-1/2" NST M, Chrome	1
24-03-1200		-- Cap, 1-1/2", NST Chrome, Rocker Lug, w/Chain	1
24-61-1250		-- Valve, AKR, 8000, (2-1/2")	1
24-53-0020	>	-- Discharge Valve Control, Pull Rod, 1/4 Turn, SM, AKR - IC w/Gauge	1
27-02-1500	>	-- Gauge, Dschg, IC, 2-1/2" (0-400 PSI), WF	1
23-10-4100	<	Dschg, 2-1/2", Right Side, Pump Panel, NST Foam capable	1
21-01-2502		-- Drain/Bleeder, IC Lift-Up, Mnl 1/4 Turn - Spec Only	1
24-01-2400		-- Adptr, Reducing, 2-1/2" NST F x 1-1/2" NST M, Chrome	1
24-02-1200		-- Elbow, 2-1/2"F x 2-1/2" NST M, Chrome	1
24-03-1200		-- Cap, 1-1/2", NST Chrome, Rocker Lug, w/Chain	1
24-61-1250		-- Valve, AKR, 8000, (2-1/2")	1
24-53-0020	>	-- Discharge Valve Control, Pull Rod, 1/4 Turn, SM, AKR - IC w/Gauge	1
27-02-1500	>	-- Gauge, Dschg, IC, 2-1/2" (0-400 PSI), WF	1
23-10-5100		Dschg, 3" x 3"NST, Right Side, Pump Panel, NST	1
21-01-2502		-- Drain/Bleeder, IC Lift-Up, Mnl 1/4 Turn - Spec Only	1

PART NO	S	DESCRIPTION	QTY
24-02-2500		-- Elbow, LW Alum, 5" Storz x 3"F	1
24-03-2200		-- Cap, LW Alum, 5" Storz, w/Cable	1
24-61-1300		-- Valve, AKR, 8000, (3")	1
24-53-0300	>	-- Discharge Valve Control, Pull Rod, 1/4 Turn, SM, AKR Slow Close - IC w/Gauge	1
27-02-1500	>	-- Gauge, Dschg, IC, 2-1/2" (0-400 PSI), WF	1
24-10-1300	>	Aerial Discharge/Inlet, 4", Rear, 4" NSTM w/4" Cap, 1-1/2" Drain	1
21-01-2500		-- Drain/Bleeder, IC Lift-Up, Manual 1/4 Turn	1
24-02-2600		-- Elbow, LW Alum, 5" Storz x 4"F	1
24-03-2200		-- Cap, LW Alum, 5" Storz, w/Cable	1
24-61-1420		-- Valve, AKR, 8000, (4"), Electric	1
24-53-3300		-- Discharge Valve Control, AKR, 4" Elec, #9333	1
27-02-1500	>	-- Gauge, Discharge, IC, 2-1/2" (0-400 PSI), WF	1
24-10-5000		Relief Valve, Aerial Waterway	1
24-10-5100		Drain Valve, Aerial Waterway	1
25-06-3100	< >	-- Foam System, F/PRO 2001, Class A/B, 2.6G, 12V S105-2001 Plumb to: Both 1.5" crosslays 2.5" crosslay Bumper discharge 2.5" right side discharge	1
25-20-1200		-- Foam Plumbing, Single Class A Tank, 1" Manual Valve	1
25-21-1500		-- Foam Tank, Integral Poly, 30 Gallon, Class A	1
25-22-9300		-- Foam Tank, UPF	1
25-23-1000		-- Foam Tank Drain, 1" Gate Valve, Under Tank	1
27-36-1100	>	-- Foam Tank Gauge, FRC TankVision Pro 300, Class A, Pump Panel #WLA360-A00	1
25-19-9000		-- Foam System, NFPA #1901, Install Standards == Aerial - Side Mount Pump Compt - 4212.023 04/21/23 ==	1
26-02-2600		Pump Enclosure, Side Mount, Extruded Alum, Aerial, Crosslays	1
26-30-1100		Rng Brd, LH Pump Panel, Alum T/P, SM	1
26-30-1150		Rng Brd, RH Pump Panel, Alum T/P, SM	1
26-30-5300	<	-- Hosewell, Rning Brd, Pump Panel, RH (Floating) Sized to hold a minimum of 25' of 5" hose	1
26-30-6200		-- Hosewell, Rning Brd, Velcro Straps,	1
26-30-2100		Step, Intermediate, LH Pump Panel, Alum T/P	1
26-30-2200		Step, Intermediate, RH Pump Panel, Alum T/P	1
26-30-3000		Step, Slide Out, Alum T/P, LH Pump Panel	1

PART NO	S	DESCRIPTION	QTY
26-31-1100		Pump Side Access Door, Upper LH, SST	1
26-31-1300		Pump Side Access Door, Upper RH, SST	1
26-35-3200		Pump Panel, SST, LH/RH, SM	1
26-35-1100		-- Pump Panel, Bltd, LH	1
26-35-1400	>	-- Pump Panel, Hngd, RH	1
26-55-1100		Labels, Test Data and Safety Placards	1
26-55-2400		Labels, Innovative Controls Color Coded	1
26-56-1125		Pump Panel LED Lts, (3) Tecniq E10-W0001-1, Midship LH w/ Sw on Pmp Oprtr's Pnl	1
26-56-1225		Pump Panel LED Lts (2), Midship RH, Tecniq E10-W0001-1	1
26-56-2000		Pump Panel Lt (1), Actuated w/Pump Engagement	1
27-01-2610	>	-- Mstr Gauges BEZEL Assy w/Test Taps, IC, 4" PSI(600) #3101813	1
PUMP PANEL INSTRUMENTATION			
27-35-1100	>	Water Tank Gauge, FRC, TankVision Pro 300, Pump Panel WLA300-A00	1
27-35-6100		-- Water Tank Gauge, Whelen PS TANK2 LED, Level Lights, Pair, FRC	1
27-35-6500		-- Mounting Location, Pump House	1
27-37-1100		Air Horn, Push Button, Pump Panel	1
27-37-2200		Air Inlet, Pump Panel, Plug-in Connection, Left Side	1
33-70-4600	S	Handrails, Pmpr, Side Pump Panel, Horz, 24", Pair == HLHD/HRHD TA RM Aerial 100+ 04/21/23 ==	1
25-25-0062		-- Water Tank, Rectangular Tank	1
25-38-1200	S	-- S.O.R./ Water Tank, 370 Gal, Aerial, Poly	1
25-44-1200		-- Water Tank, Fill Tower, 10" x 10", <500 Gals	1
25-42-1100	>	-- Water Tank, Base Specs, Poly	1
25-42-1200		-- Water Tank, Manufacturer, UPF, Poly	1
30-00-0399		Raw Material Surcharge - Tandem Axle	1
40-00-0680		AERIAL - RMA100+ TA- 3/16" FORMED ALUM	1
00-01-5100		-- Chassis Requirements, Ladder	1
00-01-5200		-- Body Requirements, Ladder, Four (4) Outriggers	1
00-01-5192		-- Outrigger Pad Storage, Single, Four (4) Total	1
00-01-5204	< >	-- Harness, Safety, Pac Mule, Four (4), Provided By Body Bldr	1
Available sizes are: M, L, XL, & XXL.			
If sizes are not specified, the following will be provided:			
(1) - L			
(2) - XL			
(1) - XXL			

PART NO	S	DESCRIPTION	QTY
00-01-5210		-- Size, Safety Harness, Medium, 28"-33" Waist	1
00-01-5212		-- Size, Safety Harness, Large, 34"-40" Waist	2
00-01-5214		-- Size, Safety Harness, X-Large, 42"-50" Waist	1
30-01-1960		-- Body Construction - Rosenbauer Aerial - 3/16" Alum	1
30-01-2250		-- Electrolysis Corrosion Control	1
30-01-3130	>	-- Cover, Outrigger, Painted Alum	1
30-01-3152		-- Outrigger Plates	1
30-02-2200		-- Smooth Alum Compt Floors	1
44-06-3100		-- Wheel Well Panel, Alum Painted, Tandem Axle - Alum	1
44-06-4300	>	-- Fenderette, Polished Stainless Steel SST	2
40-00-2550	S	TA RM HLFD/LRHD, 102" OAW, 26" full depth/26" lower depth	1
	S	AERIAL / PLATFORM HOSEBEDS - SIDE HOSEBED	
41-39-1100	S	-- Hosebed, Aerial, Right Hand Side Load	1
41-39-2100		-- Hosebed, Grating, Extrd Alum, Aerial	1
41-39-3100		-- Hosebed, Storage Capacity 2.5" DJ	5
41-39-4100		-- Hose Length, 50'	5
41-39-3500		-- Hosebed, Storage Capacity 5" LDH SJ Rubber	5
41-39-4200		-- Hose Length, 100'	5
41-40-2110	S	-- Hosebed Cover, Hinged Alum T/P, side hosebed	1
41-40-3090	S	-- Hosebed cover, cargo net at rear of side hosebed, seatbelt buckle style	1
41-40-3300		-- Hosebed Cover, Lights (Pr), Recess In Door, Auto Switch	1
40-00-5200		-- Bdy, Aerial Subframe Tndm Axle	1
40-01-3200		-- Bdy, Aerial, Overall Width 102"	1
40-01-6300		-- Cmpt Dpth, Aerial Bdy, 26"D LwrBdy, 102"W Bdy	1
40-01-9530		-- HLHD/HRHD Tndm Axle RM Combo Drs	1
30-02-1100		-- Doors, Hinged Specs	1
30-02-1105	S < >	-- Door Handle, D-Ring, Hinged Doors Round handles NOT maltese cross design	12
30-02-1140	< >	-- Roll-Up Doors - Amdor Compartment above front outriggers	2
30-02-1260	>	-- Door Strap, EZ-Pull Down, Ea	2
30-02-1110	<	-- Door Locks, Maltese Cross D-Ring Hinged Doors (Ea) R5 compartment	1
		LEFT SIDE COMPARTMENTATION	
40-10-1030		-- Abv Front Outrigger - Sgle Comp't - Roll Up Dr - Painted	1
44-40-1100		-- Vents, Compts, Louvers, Includes Filters (Ea)	1
45-30-1400		-- Turtle Tile, Compartment Floor	1
55-01-5114		-- Strip Light, LED Luma Bar, (2) Ea Compartment	1
55-06-1100		-- Compartment Light, Door Switch, Auto, Ea	1
40-10-2010		-- Ahd Rr Whls - Full Ht Comp't - Hnge Dble Dr	1
44-40-1100		-- Vents, Compts, Louvers, Includes Filters (Ea)	1
45-01-1050		-- Shelving Tracks, (2) Unistrut, Alum	1
45-02-3100	<	-- Shelf, Adjust, Alum 3/16" Mount to the Rear of Divider	2
45-30-1300		-- Turtle Tile, Shelves/Trays, (each)	2
45-05-3100	<	-- Slide Tray, 250#, Alum 3/16" 250# slide tray is to be mounted rear of Center divider on top of tool box	1
45-30-1300		-- Turtle Tile, Shelves/Trays, (each)	1
45-26-7340	< >	-- Mobile Storage System, 4-Drawer, 18"-26"D x 39"-45"W drawers to be 6" deep so cabinet is roughly 24" tall (aluminum cabinet company)	1
45-26-7842	<	-- Module Width, 42" drawers to be 6" deep so cabinet is roughly 24" tall (aluminum cabinet company)	1

PART NO	S	DESCRIPTION	QTY
45-26-7910		-- Drawer Height, 4"	1
45-26-7920		-- Drawer Height, 5"	1
45-26-7940		-- Drawer Height, 7"	1
45-26-7970		-- Drawer Height, 10"	1
45-15-1200	< >	-- Divider, Vertical, Bolt-In, 3/16" Alum Divider centered on top of Tool Box	1
55-01-5114		-- Strip Light, LED Luma Bar, (2) Ea Compartment	1
55-06-1100		-- Compartment Light, Door Switch, Auto, Ea	1
40-10-4000		-- Two (2) Compts - Upr Hgh Sde - Hnge Lift Up Dr	1
44-40-1100		-- Vents, Compts, Louvers, Includes Filters (Ea)	2
45-01-1050		-- Shelving Tracks, (2) Unistrut, Alum	2
45-02-3100	<	-- Shelf, Adjust, Alum 3/16" Install shelf in L4	1
45-30-1300		-- Turtle Tile, Shelves/Trays, (each)	1
45-18-1100	<	-- Tool Board, Swing Out, 250#, 3/16" Alum Hinged at front	1
45-30-1400		-- Turtle Tile, Compartment Floor	2
55-01-5114		-- Strip Light, LED Luma Bar, (2) Ea Compartment	2
55-06-1100		-- Compartment Light, Door Switch, Auto, Ea	2
40-10-5000	S	-- S.O.R./ Bhd Rr Whls - Full Ht Comp't - Hnge Dble Dr	1
44-40-1100		-- Vents, Compts, Louvers, Includes Filters (Ea)	1
45-01-1100		-- Shelving Tracks, (4) Unistrut, Alum	1
45-02-3100		-- Shelf, Adjust, Alum 3/16"	2
45-30-1300		-- Turtle Tile, Shelves/Trays, (each)	2
45-06-2200	>	-- SlideMaster Tray, 600#, Alum 3/16" (1/4 Dpth), Up to 44"W (SM3-MP)	1
45-05-4290		-- Gravity Lock, Slide Master	1
45-30-1125		-- Turtle Tile, Shelves/Trays, 1/4 Depth, (each)	1
55-01-5114		-- Strip Light, LED Luma Bar, (2) Ea Compartment	1
55-06-1100		-- Compartment Light, Door Switch, Auto, Ea	1
40-10-6010		-- Abv Rr Outrigger - Sgle Comp't - Hnge Sgle Dr	1
44-40-1100		-- Vents, Compts, Louvers, Includes Filters (Ea)	1
45-30-1400		-- Turtle Tile, Compartment Floor	1
55-01-5114		-- Strip Light, LED Luma Bar, (2) Ea Compartment	1
55-06-1100		-- Compartment Light, Door Switch, Auto, Ea	1
40-10-7120		-- Access Ladder, Swing Out & Down, Left Side - EZ Climb RIGHT SIDE COMPARTMENTATION	1
40-12-1030		-- Abv Front Outrigger - Sgle Comp't - Roll Up Dr - Painted	1
44-40-1100		-- Vents, Compts, Louvers, Includes Filters (Ea)	1
45-30-1400		-- Turtle Tile, Compartment Floor	1
55-01-5114		-- Strip Light, LED Luma Bar, (2) Ea Compartment	1
55-06-1100		-- Compartment Light, Door Switch, Auto, Ea	1
40-12-2010		-- Ahd Rr Whls - Full Ht Comp't - Hnge Dble Drs	1
44-40-1100		-- Vents, Compts, Louvers, Includes Filters (Ea)	1
45-01-1050		-- Shelving Tracks, (2) Unistrut, Alum	1
45-02-3100		-- Shelf, Adjust, Alum 3/16"	2
45-30-1300		-- Turtle Tile, Shelves/Trays, (each)	2
45-06-2200	>	-- SlideMaster Tray, 600#, Alum 3/16" (1/4 Dpth), Up to 44"W (SM3-MP)	1
45-05-4290		-- Gravity Lock, Slide Master	1
45-30-1125		-- Turtle Tile, Shelves/Trays, 1/4 Depth, (each)	1
55-01-5114		-- Strip Light, LED Luma Bar, (2) Ea Compartment	1
55-06-1100		-- Compartment Light, Door Switch, Auto, Ea	1
40-12-4005		-- Two (2) Compts - Upr Hgh Sde - Hnge Lift Up Dr	1

PART NO	S	DESCRIPTION	QTY
44-40-1100		-- Vents, Compts, Louvers, Includes Filters (Ea)	2
45-01-1050		-- Shelving Tracks, (2) Unistrut, Alum	2
45-02-3100		-- Shelf, Adjust, Alum 3/16"	2
45-30-1300		-- Turtle Tile, Shelves/Trays, (each)	2
45-30-1400		-- Turtle Tile, Compartment Floor	2
55-01-5114		-- Strip Light, LED Luma Bar, (2) Ea Compartment	2
55-06-1100		-- Compartment Light, Door Switch, Auto, Ea	2
40-12-5090		-- Behind Rear Wheels- Low Compt - Hinge Double Doors	1
44-40-1100		-- Vents, Compts, Louvers, Includes Filters (Ea)	1
45-01-1100		-- Shelving Tracks, (4) Unistrut, Alum	1
45-02-3100		-- Shelf, Adjust, Alum 3/16"	1
45-30-1300		-- Turtle Tile, Shelves/Trays, (each)	1
45-30-1400		-- Turtle Tile, Compartment Floor	1
55-01-5114		-- Strip Light, LED Luma Bar, (2) Ea Compartment	1
55-06-1100		-- Compartment Light, Door Switch, Auto, Ea	1
40-12-6010	S	--	1
55-01-5112	S	--	1
55-06-1100	S	--	1
40-12-8000	S	-- Bhnd Rr Whls - Low Ht Comp't - Hnge Sgle Dr	1
44-40-1100		-- Vents, Compts, Louvers, Includes Filters (Ea)	1
45-01-1100		-- Shelving Tracks, (4) Unistrut, Alum	1
45-02-3100		-- Shelf, Adjust, Alum 3/16"	1
45-30-1300		-- Turtle Tile, Shelves/Trays, (each)	1
45-30-1400		-- Turtle Tile, Compartment Floor	1
55-01-5114		-- Strip Light, LED Luma Bar, (2) Ea Compartment	1
55-06-1100		-- Compartment Light, Door Switch, Auto, Ea	1
40-95-1010		Rr Aerial Bdy Configuration - Hngd Lift Up Dr - Smooth Alum	1
90-02-3600	>	-- Ladder Storage, Rear Slide, Aerial Torque Box	1
90-03-0225		-- Ladders, Ground, Provided By Body Builder, SD	1
90-16-5200	<	-- Pike Pole Mounting Tube, Internal, Ea	6
		4' tools shipped loose for compartment mounting after dleivery	
90-16-6115	>	-- Pike Pole Provided By, Body Builder SD	1
		REAR STEP BUMPERS - AERIALS/PLATFORMS	
41-41-1100		-- Rr Bumper, Aerial, 4"	1
41-41-1300		-- Rr Bumper, Pull-Out Hose Loading Step, RH	1
		HANDRAILS - AERIALS/PLATFORMS	
		== Aerial - Common Body Parts - 4212.023 04/21/23 ==	
33-70-3600	<	-- Handrails, Pmpr, Top of Bdy Sides, Frnt, 12", Pair	1
		Mount at final	
44-01-1450		-- Bdy Trim, Frnt Cmpt, Ht of Side Cmpts, Alum T/P	1
44-01-6000		-- Catwalks Top of Side Cmpts, Alum Treadplate	1
		REAR BODY DESIGN - AERIAL	
44-01-4000		-- Bdy Trim, Entire Rr Bdy, Smooth for Chevron Stripe	1
		AUXILIARY REAR BODY STEPS AND LADDERS	

PART NO	S	DESCRIPTION	QTY
AUXILIARY FRONT BODY STEPS			
41-44-4140		-- Steps, Fldg, Frnt, Left Hand (3), Integral LED Lts	1
41-44-4240		-- Steps, Fldg, Frnt, Right Hand (3), Integral LED Lts	1
HANDRAILS - AERIALS/PLATFORMS			
44-02-1100		-- Rub Rails, Lwr Bdy, Extrd Alum	1
44-02-2000		-- Rub Rails, Spacers, Nylon	1
44-07-4300		Fuel Tank, Removable Access Panel - Aerial Torque Box	1
44-07-5310	<	Fuel Fill Door, LH Aerial Outrigger Panel Install one on each side	2
44-11-5100		Wheel Well Provisions, Ahead of Wheels Left Side	1
44-10-1600	>	-- Wheel Well Compt, Single SCBA, Poly Tube, SST Door, (Fire Shopp)	1
44-10-6000		-- Wheel Well Compt, SCBA Compt Straps	1
44-11-5200		Wheel Well Provisions, Between Tandems Left Side	1
44-10-4100	< >	-- Wheel Well Compt, Extinguisher, Brushed SST Door Pressurized water extinguisher	1
44-10-6000		-- Wheel Well Compt, SCBA Compt Straps	1
44-11-5305		Wheel Well Provisions, Behind Wheels Left Side	1
44-10-1600	>	-- Wheel Well Compt, Single SCBA, Poly Tube, SST Door, (Fire Shopp)	1
44-10-6000		-- Wheel Well Compt, SCBA Compt Straps	1
44-11-5500		Wheel Well Provisions, Ahead of Wheels Right Side	1
44-10-1600	>	-- Wheel Well Compt, Single SCBA, Poly Tube, SST Door, (Fire Shopp)	1
44-10-6000		-- Wheel Well Compt, SCBA Compt Straps	1
44-11-5600		Wheel Well Provisions, Between Tandem Right Side	1
44-10-4100	< >	-- Wheel Well Compt, Extinguisher, Brushed SST Door 20# ABC dry chemical extinguisher	1
44-10-6000		-- Wheel Well Compt, SCBA Compt Straps	1
44-11-5700		Wheel Well Provisions, Behind Wheels Right Side	1
44-10-1600	>	-- Wheel Well Compt, Single SCBA, Poly Tube, SST Door, (Fire Shopp)	1
44-10-6000		-- Wheel Well Compt, SCBA Compt Straps	1
== Aerial - AC Electrical System - 4212.023 04/21/23 ==			

PART NO	S	DESCRIPTION	QTY
== Aerial-Equipment Systems - 4212.023 04/21/23 ==			
== Aerial - Tandem Axle - Pnt/Ltr/Str - 4212.023 04/21/23 ==			
80-22-1802		Body Paint, Tandem Axle Aerial	1
80-06-1100	<	-- Apparatus Color The apparatus shall be RED to match chassis FLNA 32065	1
80-30-1400	<	Compt Finish, Spatter Coat, Up to 12 Compts Base color to be red to match body with black splatter	1
80-40-1100		Wheels, Aluminum, By the Chassis Manufacturer	1
80-42-1500		Body Paint, Touch Up, 2 oz. Bottle, One Color	1
80-50-1900	< >	Lettering, 4" Scotchlite Reflect, Fifty (50) Letters Match pumpers Chad Horne 2/6/24	1
80-50-3700	< >	Lettering, 8-12" Scotchlite Reflect, Fifty (50) Letters Match pumpers Chad Horne 2/6/24 Large white reflective lettering to be used to outline backlit lettering so it's more visible in the daylight	1
80-65-1200	< >	Door Seals, Custom Detailed, Price On Request Match pumpers Chad Horne 2/6/24	1
80-70-2200	>	Stripe, Single Reflective, 10"	1
80-73-1100	S < >	-- S.O.R. / Reflective Pin Stripe Blue 1" wide	1
80-75-1600		-- Reflective Stripe Material, White	1
80-72-1100	>	Stripe, Reflective 3M, Chevron Pattern Entire Rear Red/Yellow	1
80-72-1400	>	Stripe, Reflective, Aerial Outriggers, Both Sides of Ea White	1
80-79-1000		NFPA Standing / Walking Surfaces Yellow Safety Tape (NFPA 15.7.1.6)	1
80-80-1200		Labels, Aerial Ladder Identification and Safety	1
80-80-2000	>	Truck Number Frame, FFST 1.25 10" x 10"	1
80-80-2002	< >	-- Truck Number Sign Plate Over front cab wheels Chad Horne 2/6/24	1
80-81-0100	>	Leveling Gauge, (1) Side-to-Side, (1) Front-to-Back == Aerial - Loose Equipment - 4212.023 04/21/23 ==	1

PART NO	S	DESCRIPTION	QTY
90-01-5900		< > Wheel Chocks Pair Zico #SAC-44 Folding w/ Mounts Install under L2	1
90-03-0020		AERIAL Compliment (115-ft MIN) Duo Safety (NFPA compliant)	1
90-03-3400		-- Ladder, Roof, Duo-Safety, 16' Aluminum 875-A	2
90-06-4600	S	--	1
90-07-4300	S	--	1
90-08-2600		-- Ladder, Attic, Duo-Safety, 10' Aluminum, Folding 585-A	1
90-09-2300		-- Ladder, Combo, Duo-Safety, 10/15' Aluminum #300-A	1
90-16-2200	<	-- Pike Pole, 4' Fiberglass, "D" Handle 4' tools shipped loose for compartment mounting after dleivery	2
90-16-2300	S	--	1
90-16-2600	S	--	1
90-16-2800	S	--	1
90-16-3000	S	--	1
90-06-4700		-- Ladder, Extension, Duo-Safety, 28' Aluminum, 2 Section 1200-A	1
90-06-4900		-- Ladder, Extension, Duo-Safety, 35' Aluminum, 2 Section 1200-A	1
90-23-2300		-- Hook, Arson Trash, 6-ft w/Fiberglass "D" Handle, Fire Hooks Unlimited	1
90-23-2400		-- Hook, Arson Trash, 8-ft w/Fiberglass "D" Handle, Fire Hooks Unlimited	1
90-23-2500		-- Hook, Arson Trash, 10-ft w/Fiberglass "D" Handle, Fire Hooks Unlimited	1
90-23-3202		-- Hook, Dry Wall, Fiberglass D-handle w/Grips, 6-ft, Fire Hooks Unlimited, DWHS-6	1
90-23-3600		-- Hook, Dry Wall, 40" w/Fiberglass "D" Handle, Fire Hooks Unlmted, #DWHS-40 w/d	1
90-47-0100		Miscellaneous Loose Hardware, Bolts-Nuts-Washers-Screws	1